Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	7	(((first PCI primary) near2 bus) with standard) SAME (((second alternate PCMCIA) near2 bus) with standard) SAME ((power volt$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/31 11:47
L8	459	(((first PCI primary)) near5 standard) SAME (((second alternate PCMCIA)) near5 standard) SAME ((power volt$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/31 11:47
L11	1095	((((first PCI primary)) near2 standard) OR (((second alternate PCMCIA))) near2 standard) SAME ((power volt$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:51
L12	150	(((first PCI primary)) near2 standard) SAME (((second alternate PCMCIA)) near2 standard) SAME ((power volt$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:55
L13	30	(((first PCI primary)) near2 standard) SAME (((second alternate PCMCIA)) near2 standard) SAME ((power volt$3) near5 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:53
L15	2	(((first PCI primary main) near2 bus) near10 (standard interface protocol)) SAME (((second$3 alternate PCMCIA other subsequent) near2 bus) near10 standard) SAME ((power volt$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:03
L17	353	((((first PCI primary main) near2 bus) near10 (standard interface protocol)) OR (((second$3 alternate PCMCIA other subsequent) near2 bus) near10 standard)) SAME ((power volt$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:04
L18	1275	(((first PCI primary main) near10 (standard interface protocol)) AND ((second$3 alternate PCMCIA other subsequent) near10 standard)) SAME ((power volt$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:09
L19	217	(((first PCI primary main) near2 (standard interface protocol)) AND ((second$3 alternate PCMCIA other subsequent) near2 standard)) SAME ((power volt$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:10
L20	43	(((first PCI primary main) near2 (standard interface protocol)) AND ((second$3 alternate PCMCIA other subsequent) near2 standard)) SAME ((power volt$3) near7 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:14

L21	308	(((first PCI primary main) near2 (standard interface protocol bus)) AND ((second$3 alternate PCMCIA other subsequent) near2 (standard interface protocol bus))) SAME ((power volt$3) near7 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:16
L22	293	(((first PCI primary main) near2 (standard interface protocol bus)) SAME ((second$3 alternate PCMCIA other subsequent) near2 (standard interface protocol bus))) SAME ((power volt$3) near7 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:16
L23	109	(((first PCI primary main) near2 (standard interface protocol bus)) SAME ((second$3 alternate PCMCIA other subsequent) near2 (standard interface protocol bus))) SAME (((power volt$3) near7 (supply source)) NEAR20 (different separate another))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:17
S2	24	(multiple two) NEAR20 (interface bus standard) NEAR20 (pin plug connect$3) NEAR20 (select conform) NEAR20 (communicate)	US-PGPUB; USPAT; USOCR; DERWENT ; IBM_TDB	OR	OFF	2005/08/23 11:10
S4	2	(multiple two) WITH (interface bus standard) WITH (pin plug connect$3) WITH (select conform) WITH (communicate) NOT S2	US-PGPUB; USPAT; USOCR; DERWENT ; IBM_TDB	OR	OFF	2005/08/23 11:11
S6	888	(710/62).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/23 11:14
S8	727	S6 AND @ay<="2003"	USPAT	OR	OFF	2005/08/23 11:15
S9	349	S6 AND ((multiple two multiplex many numerous) NEAR10 (bus interface))	USPAT	OR	OFF	2005/08/23 11:22
S12	31	S6 AND ((multiple two multiplex many numerous) NEAR20 (bus interface standard) NEAR20 (pin plug connector)) NOT S11	USPAT	OR	OFF	2005/08/25 08:54
S14	95321	(multiple two) AND (interface bus standard) AND (pin plug connect$3) AND (select conform) AND (communicate)	US-PGPUB; USPAT; USOCR; DERWENT ; IBM_TDB	OR	OFF	2005/08/25 08:51
S15	441	(multiple two) SAME (interface bus standard) SAME (pin plug connect$3) SAME (select conform) SAME (communicate)	US-PGPUB; USPAT; USOCR; DERWENT ; IBM_TDB	OR	OFF	2005/08/24 08:42
S16	441	(multiple two) SAME (interface bus standard) SAME (pin plug connect$3) SAME (select conform) SAME (communicate)	US-PGPUB; USPAT; USOCR; DERWENT ; IBM_TDB	OR	OFF	2005/08/25 09:27
S17	6	S16 and (PCI and PCMCIA)	US-PGPUB; USPAT; USOCR; DERWENT ; IBM_TDB	OR	OFF	2005/08/25 09:25

S18	29	S16 and (PCI OR PCMCIA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 09:26
S19	10	("5894478" | "5935224" | "6009486" | "6086430" | "6128673" | "6334160" | "6334793" | "6425037" | "6535522" | "6628441").PN. OR ("6871244").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/24 10:36
S20	891	(710/62).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 08:54
S21	46	S20 AND ((multiple two multiplex many numerous) NEAR20 (bus interface standard) NEAR20 (pin plug connector))	USPAT	OR	OFF	2005/08/25 08:54
S22	15	(multiple two) SAME (interface bus standard) SAME (pin plug connect$3) SAME (select conform) SAME (communicate) SAME (PCI PCMCIA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:54
S23	2	"6149319".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:55
S26	1628	(710/52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:38
S27	1280	(710/100).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:39
S28	1581	(703/23-28).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:42
S29	347	(710/313).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:50
S31	585	(710/316).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:43
S32	243	(710/317).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:44
S33	303	(710/11).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:49
S34	345	(710/315).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:50
S35	11	("5025412" | "5367646" | "5420412" | "5440755" | "5553249" | "5606672" | "5630094" | "5793996").PN. OR ("5931933").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 11:38
S36	339	(710/16).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:34

S37	7	("5596562" | "5671355" | "5832244" | "5991841" | "6131127" | "6170027" | "6286097").PN. OR ("6925510").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 16:19
S38	12	(multi adj voltag$3) near5 buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:48
S39	7	((multi adj voltag$3) near5 buffer) AND pin	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 10:59
S40	11	("5025412" | "5367646" | "5420412" | "5440755" | "5553249" | "5606672" | "5630094" | "5793996").PN. OR ("5931933").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 11:18
S41	19	("4455620" | "4456965" | "4641261" | "5084814" | "5101498" | "5140679" | "5343319").PN. OR ("5793989").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 12:00
S42	1053	(PCI SAME PCMCIA) same (interface protocal function) same bus	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:43
S43	455	(PCI with PCMCIA) with (interface protocal function) with bus	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:43
S44	13	((multi adj voltag$3) OR multivoltag$3) near5 buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:57
S45	17	((multi adj voltag$3) OR multivoltag$3) near5 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/08/29 15:57